

**CITY of GLEN COVE
WATERFRONT REVITALIVATION PROJECT**

NOTIFICATION OF PROPOSED SITE ACTIVITY

(Submit via e-mail to Anne Lamorte, Alamorte@glencovecda.org)

SECTION A:

Site(s) Requiring Access:

Captains Cove Site ☐ Li Tungsten Site ☒ Doxey Site ☐ Gladsky Site ☐ Ferry Terminal ☐

Requester: Ellis Koch Date: 6/18/15

Anticipated Work Date(s): 7/6/15 To 7/10/15 Telephone: 516-983-7333

Description of Work Requested: *(Include reference to Work Plan and agency approval date if appropriate)*

Transport and dispose of approximately 1120 CY of
petroleum impacted soil from the WST excavation on
Parcel A, TP 006 excavation & TP 010 excavation, all on
Parcel A as described in the "Visually Stained Petroleum
Soil Investigation/Remediation Report" April 2015 and
"Addendums" May 2015.

SECTION B:

Please provide the following information as applicable and in conformance with the respective Site Management Plan (SMP) requirements.

Description of environmental monitoring to be conducted: (Include reference to HASP & CAMP and documentation of agency approval if monitoring deviates from the plans)

The CAMP and HASP that will be followed is in the approved PW. Grosser, Inc "Preconstruction Confirmatory/Data Gap Subsurface Investigation Insurance Work Plan" 12/2013

Is waste anticipated to be generated or disposed of off-site in association with the proposed work?

Yes ☒ No ☐

If yes, describe how all waste streams will be managed including off-site disposal: (If waste is to be disposed of offsite please provide documentation of agency approval and date)

The waste acceptance letter from Clean Earth and the description of how the soil will be handled is in the June 10, 2015 PWGC letter to Ellis Koch

Are any fill materials anticipated to be reused at or imported to the Site in association with the proposed work?

Yes ☐ No ☒

If yes, describe the proposed on-site fill material reuse procedures or proposed source of imported fill material including all chemical and gradation testing results and documentation of agency approval:

Are confirmation or documentation samples to be conducted in association with the proposed work?

Yes ☐ No ☒

If yes, describe the sample type, sampling frequency and analytical methods:

-----City Use Only-----

Review Status: Approved ☒ Rejected ☐

Reviewed By: _____ **Date:** _____

Regulatory Agency Notification Date: (Minimum 10-days prior to anticipated work start date) _____

Review Comments:

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced, thin black horizontal lines running across the width of the page. The background is a solid off-white color, typical of standard notebook paper. There are no margins, text, or other markings present.